



A Professional Glove Solution Provider

Xcellent®

Want Safe and Comfort... TRY Xcellent!



xcellent-safety.eu

2021-2022

Why XCELLENT

+ Premium Quality at Competitive Prices

Xcellent Safety GmbH manufactures a wide range gloves in premium quality, we keep innovating and continuously improve the quality to make our gloves safer, more comfortable and with more added values.

We are glad to provide you samples or prices for your evaluation.

+ Family Owned Factory and Deeply Cooperated Factories

Not just an importer, we have family owned factory and deeply cooperated factories, professional research and development team, advanced technologies, facilities...

We can design the gloves, select the raw materials, knit the liners, make the coating formulation...

We are more professional, control the quality and deliver solutions.



Yarns Wrapping and Spinning Workshop



Dipping Production Line



Knitting Machines

+ Professional Solution Provider

Thanks to our professional teams, advanced technologies, advanced facilities and business partners worldwide, we are able to deliver our cooperating dealers and end users professional solutions to help them find the right products, improve the products they are using and design new products according to their work conditions and requirements.

+ Innovation and Continuous Quality Improvement

With our business partners worldwide (North America, Europe, Oceania ...), also thanks to our professional R&D team, We have been innovating and improving our quality in order to offer our end users the best products and to secure the business of our dealers in the work glove market.

+ Flexible

If our wide range of products does not have a suitable product for you, we create it.

If you are outside of European Union, we still can supply you with competitive prices and flexible options.

Xcellent Safety GmbH
Am seestern 4, D-40547 Duesseldorf,
Germany

Email: info@xcellent-safety.eu
Web: www.xcellent-safety.eu



Xcellent®
Want Safe and Comfort... TRY Xcellent!

new



X-007



- Superior Arc Flash & Flame & Cut & Heat Protection
- Arc Rating (APTV) = 10,3 cal/cm² as per ASTM F2675 / F2675M:2019. Class 2.
- Great cut protection - level D, which is good for cut hazards for works with sharp or rough edge materials
- Contact heat, convective heat and radiant heat protection
- Special coating formulation provides extra durability. Much better grip than a standard leather glove
- Super flexibility and dexterity, minimizing hand fatigue, also ideal for precision works
- Touch Screen function

Area of Applications

Arc flash or Flash-Flame exposure hazards or electrical equipment operation, welding, utility operation, some heat contact works and etc.



new



18-971



- The advanced 18 gauge lining technology contributes it as one of the thinnest & finest cut level D nitrile gloves
- Over 30% lighter than a normal 13 gauge cut level D nitrile glove, less hand fatigue
- High quality technical yarns contributes to extra comfort, softness and smooth feeling
- Perfect dexterity, fitting and flexibility makes it also ideal for precision works
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the most weak area

Area of Applications

General purpose or precision works with high cut hazard in dry or little wet or light oil conditions.



18-900



- New Design - second skin feeling PU glove with cut protection level C
- Perfect dexterity, fitting and flexibility makes it ideal for precision works
- The antistatic property protects against the risk of ESD makes it also ideal for the electronics, oil and gas, textiles and other industries
- 10-finger touch screen function enables you to use all touch screen devices during work
- Special Technical Polyurethane offers much better grip performance

Area of Applications

General purpose, precision works with high cut or ESD risk in dry conditions.



Art. Nr.	Material	Coating	Sizes	Packing
X-007	13gg, Confidential	Palm, Confidential	7/S - 11/XXL	6 pairs / pack, 72 pairs / carton
18-971	18gg, UHMWPE, steel fiber, other	Palm, Sandy Nitrile	7/S - 12/XXXL	12 pairs / pack, 144 pairs / carton
18-900	18gg, UHMWPE, steel fiber, carbon, other	Palm, X-wet Polyurethane	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton



18-002



18-003



- Second skin feeling. Extremely light glove with perfect dexterity, flexibility and minimum hand fatigue
- More than 30% lighter than a 13 gauge nitrile glove
- Super soft, comfortable and perfect fit
- 10-finger touch screen function enables you to use all touch screen devices during work
- Good grip in light oil and dry working condition
- OEKO-TEX standard 100 certified for skin friendly
- 18-003: Extra high quality nitrile dots provides better grip and more durability

Area of Applications

General purpose, precision works in dry or light oil conditions.



18-001



- Second skin feeling. Extremely light glove with perfect dexterity, flexibility and minimum hand fatigue
- Much lighter than a standard 13 gauge PU glove
- Super soft, comfortable and perfect fit
- 10-finger touch screen function enables you to use all touch screen devices during work
- Special X-Wet PU formulation offers better grip performance in dry working conditions

Area of Applications

General purpose, precision works in dry conditions.



18-008



- Second skin feeling. Extremely light glove with perfect dexterity, flexibility and minimum hand fatigue
- Much more flexible, soft and comfortable than most of the popular 15 gauge grey nitrile gloves
- Super soft, comfortable and perfect fit
- Good grip in oily or dry working conditions
- OEKO-TEX standard 100 certified for skin friendly

Area of Applications

General purpose, precision works in dry or light oil conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
18-002/18-003	18gg, Polyamide	Palm, micro-foam nitrile	6/XS - 12/XXXL	12 pairs / pack, 144 pairs / carton (Individual pack available)
18-001	18gg, Polyamide	Palm, X-wet Polyurethane	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)
18-008	18gg, Polyamide, spandex	Palm, sandy nitrile	6/XS - 12/XXXL	12 pairs / pack, 144 pairs / carton



18-931



- The advanced 18 gauge lining technology contributes it as one of the **thinnest & finest cut level B nitrile gloves**
- **Over 30% lighter** than a normal 13 gauge cut level B nitrile glove, **less hand fatigue**
- **Perfect dexterity**, fitting and flexibility makes it also ideal for precision works
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the most weak area
- OEKO-TEX standard 100 certified for skin friendly
- Touch screen function
- Soft and very comfortable

Area of Applications

General purpose or precision works with low cut hazard or contact heat hazard in dry or little wet or light oil conditions.



12-900



- **Premium quality** cut protection level C glove with high abrasion resistance
- **Much lighter** than a standard 13 gauge cut level C nitrile glove, **less hand fatigue**
- **Perfect dexterity**, fitting and flexibility makes it ideal for precision works
- Sandy finish provides good grip in oily and dry working condition
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the most weak area
- Soft and very comfortable

Area of Applications

General purpose or precision works with high cut hazard or contact heat hazard in dry or little wet or light oil conditions.



12-932



- **Water and oil repellent palm**, cut protection level C
- **Reinforcement** greatly extends glove life to save your cost and provides extra protection in the most weak area
- Sandy finish provides super grip in oily and dry working condition
- **Flexibility, comfort and good fitting**
- Contact heat protection up to 100 °C acc. to EN407
- OEKO-TEX standard 100 certified for skin friendly

Area of Applications

General purpose or works with high cut hazard or contact heat hazard in dry or oily or wet conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
18-931	18gg, UHMWPE mixed with others	Palm, micro-foam nitrile	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton
12-900	15gg, UHMWPE mixed with others	Palm, sandy nitrile	7/S - 12/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)
12-932	15gg, UHMWPE mixed with others	Palm, double nitrile (flat + sandy)	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton



18-009



18-009F



18-009P



- **Water and oil repellent**, super abrasion resistance
- The 18 gauge technology with advanced coating formulation makes it more flexible and great dexterity
- Less hand fatigue compared to similar 13 or 15 gauge products
- Sandy finish provides good grip in wet and dry working condition
- Soft, comfortable and good fitting
- Contact heat protection up to 100 °C according to EN407

Area of Applications

General purpose or precision works with/without contact heat hazard in wet or oily conditions.



3030



- **New Design - 10-finger touch screen function** enables you to use all touch screen devices during work, the anti-static property (white part) which is ideal for some electronics works equipped with others.
- OEKO-TEX standard 100 certified
- **Better fitting, super flexibility and dexterity** makes it ideal for precision works, such as assembly, inspection, maintenance and etc.
- Very soft and comfortable

Area of Applications

General purpose or precision works under dry or little wet or oily conditions.



3006



- **High quality nitrile dots** contribute to excellent abrasion resistance, great grip and additional durability
- **Touch screen function** enables you to use touch screen devices during work
- Super flexible, soft and comfortable
- High visibility orange colour offers extra safe in dark condition or some outdoor works
- Contact heat protection up to 100 degree C

Area of Applications

General purpose work under dry, little wet or little oily conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
18-009 or 18-009P	18gg, polyamide	Palm, sandy nitrile; 3/4 or Palm, flat nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
18-009F	18gg, polyamide	Palm, sandy nitrile; full, flat nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)
3030	15gg, polyamide, carbon	Palm, micro-foam nitrile	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton
3006	15gg, polyester, spandex, other	Palm, micro-foam nitrile, nitrile dots	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)



12-330W

12-330

- Cut protection level B with great abrasion resistance
- **New Upgraded - special X-wet PU formulation** contributes to better grip, makes it an outstanding PU glove in the market
- **Very flexible, comfortable and soft, smooth feeling**
- Ergonomic, good fitting and great dexterity makes it ideal for general purpose and some precision works

Area of Applications

General purpose, or works with low cut hazard in dry conditions.



12-350

- Cut protection level C with great abrasion resistance
- **New Upgraded - special X-wet PU formulation** contributes to better grip, makes it an outstanding PU glove in the market
- Upgraded lining with high quality yarns offers **extra comfort, softness and lighter weight, smooth feeling**
- Ergonomic, good fitting and flexible

Area of Applications

General purpose, or works with high cut hazard in dry conditions.



12-351

- Cut protection level C with great abrasion resistance
- **New Upgraded - special X-wet PU formulation** contributes to better grip, makes it an outstanding PU glove in the market
- Upgraded lining with high quality yarns offers **extra comfort, softness and lighter weight, smooth feeling**
- **Reinforcement** in the crotch greatly extends glove life to save your cost and provides extra protection in the most weak area
- **Touch screen function** enables you to use touch screen devices on the jobs

Area of Applications

General purpose, or works with high cut hazard in dry conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
12-330W	13gg, UHMWPE mixed with others	Palm, X-wet Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-350	13gg, UHMWPE mixed with others	Palm, X-wet Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-351	13gg, UHMWPE mixed with others	Palm, X-wet Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)



X-015



- Good quality TPR pads offer additional softness and great flexibility
- **Thanks to thicker and special TPR design, it offers better impact protection**
- New crotch reinforcement provides better fit and comfort than others with fabric
- Extra sponge pad in the palm offers good vibration protection
- **Softer and more comfortable** than most similar 13 gauge products on the market
- The velcro design makes it easy to wear and keep the glove in position when wearing

Area of Applications

Works with impact or cut or contact heat or vibration hazards in dry or little wet conditions.



12-354

12-353



- **High quality** cut protection level C glove with great abrasion resistance
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the most weak area
- Sandy finish provides good grip in oily and dry working condition
- **Soft, flexible and comfortable. Good fitting**
- OEKO-TEX standard 100 certified for skin friendly
- Contact heat protection up to 100 °C acc. to EN407
- High Visibility colour provides extra safety for challenge light conditions and perfect fit for hi-vis workwear

Area of Applications

General purpose or works with high cut hazard or contact heat hazards in dry or little wet or little oil conditions



12-383



- Super cut protection - **cut level E**
- Advanced yarns technology providing super cut protection but **still soft, flexible and comfortable**
- Food contact approved and blue coloured
- 10-finger touch screen function enables you to use all touch screen device on the jobs
- OEKO-TEX standard 100 certified for skin friendly
- Contact heat protection up to 100 °C according to EN407

Area of Applications

General purpose, works with very high cut hazard or contact heat hazard, food processing, or in dry or little oil or little wet conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
X-015	15gg, UHMWPE mixed with others	Palm, sandy nitrile	8/M - 11/XXL	6pairs / pack, 72 pairs / carton
12-353	13gg, UHMWPE mixed with others	Palm, sandy nitrile	7/S - 12/XXXL	12 pairs / pack, 144 pairs / carton
12-354	13gg, UHMWPE mixed with others	Palm, sandy nitrile	7/S - 12/XXXL	12 pairs / pack, 144 pairs / carton
12-383	13gg, UHMWPE, steel fibler, others	Palm, micro-foam nitrile	7/S - 12/XXXL	12 pairs / pack, 144 pairs / carton



12-352



- New design - level D cut protection glove with great abrasion resistance
- Thanks to the advanced yarns wrapping and knitting technology, it is still **soft, flexible and comfortable on a level D cut glove**
- **10-finger touch screen function** enables you to use all touch screen devices on the jobs
- Ergonomic and good fitting



12-360



- New Design - High quality level C (ANSI A4) cut protection glove with great abrasion resistance
- **10-finger touch screen function** enables you to use all touch screen device on the jobs
- Great flexibility and dexterity
- More softer, comfortable and smooth than many normal quality cut C/5 PU gloves in the market
- Good to hide dirt
- **Brand promotion price**



12-380



- **The highest level cut protection - cut level F**
- Advanced yarns technology providing the highest level cut protection but still **soft, flexible and comfortable**
- **Special X-wet PU** formulation contributes to better grip, makes it an outstanding PU glove in the market
- Good fitting and dexterity
- **10-finger touch screen function** enables you to use all touch screen device on the jobs

Area of Applications

General purpose or works with high cut hazard in dry conditions.



Area of Applications

General purpose or works with high cut hazard in dry conditions.



Area of Applications

General purpose or works with very high cut hazard or contact heat hazard in dry conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
12-352	13gg, UHMWPE, steel fiber, others	Palm, X-wet Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-360	13gg, confidential	Palm, X-wet Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)
12-380	13gg, UHMWPE, steel fiber, others	Palm, X-wet Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)



12-364



- Highest level cut protection - **cut level F**
- Contact heat protection up to 250 °C, which is ideal for work with high temperature objects
- High quality latex coating provides great puncture resistance and also is ideal for glass industry
- Fine crinkle finishing provides great grip performance
- Water and oil repellent for the coating area



12-368



- Water and oil repellent, cut protection level D
- **Reinforcement** greatly extends glove life to save your cost and provides extra protection in the most weak area
- Sandy finish provides super grip in oily and dry working condition
- **Flexible, comfort and good fitting**
- Contact heat protection up to 100 °C acc. to EN407
- OEKO-TEX standard 100 certified for skin friendly



30-735

30-745



- Highest level cut protection sleeve - **cut level F**
- Advanced yarns wrapping and knitting technology provides **super cut protection but also great wearing comfort and softness**
- The antistatic property protects against the risk of ESD makes it also ideal for the electronics, textiles and other industries (optional: 30-735ESD / 30-745ESD)
- The velcro design holds the sleeve in position when wearing
- Straight cuff is very good fit to wear a glove

Area of Applications

General purpose or works with high cut hazard or high contact heat hazard in dry or wet or oil conditions.



Area of Applications

General purpose or works with high cutting or contact heat hazard in oily or wet conditions.



Area of Applications

General purpose, or works with high cut hazards in dry conditions



Art. Nr.	Material	Coating	Sizes	Packing Unit
12-364	13gg, UHMWPE, steel fiber, others	3/4, crinkle latex	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-368	13gg, UHMWPE mixed with others	Palm, sandy nitrile; 3/4, flat nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
30-735 / 30-745	13gg, UHMWPE, steel fiber, others	N.A.		6 pairs / pack, 144 pairs / carton



51-800



- Excellent cold resistance, waterproof and windproof
- **New Upgraded - cut protection level C**
- **Super softness, flexibility and comfort, less hand fatigue**
- The sandy latex coating offers excellent grip in both dry and wet conditions
- Food contact approved, ideal for cold food storage works

Area of Applications

Works in cold conditions with / without cut hazards in dry or wet or oily conditions.



51-818 Pro



- Great cold and heat resistance
- **Cut protection level 5 (EN388:2016)**
- 10 gauge brushed acrylic cut resistant liner guarantees excellent cold resistance and provides **extra comfort & softness** compared with the standard 7 gauge one in the market
- The sandy nitrile coating offers good grip in both dry and wet conditions
- **Super flexible and good fitting**

Area of Applications

Works in cold or heat conditions with / without cut hazards in dry or little wet or little oily conditions.



51-500



- Great cold and heat resistance
- **Super softness, flexibility, comfort and fitting**
- Sandy latex coating contributes a better grip performance
- High visibility orange color is also good for outdoor works or dark situation

Area of Applications

Works in cold or heat conditions in dry or little wet or little oily conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
51-800	15gg+10gg, brushed acrylic, cut resistant yarn, other	Palm, sandy latex; Full, flat latex	7/S - 11/XXL	12 pairs / pack, 120 pairs / carton (Individual pack available)
51-818 Pro	10gg, brushed acrylic, UHMWPE, others	Palm, sandy nitrile	7/S - 11/XXL	12 pairs / pack, 120 pairs / carton (Individual pack available)
51-500	10gg, brushed acrylic	Palm, sandy latex	7/S - 11/XXL	12 pairs / pack, 120 pairs / carton (Individual pack available)



3000 Touch



3000 HV



- **New upgraded with touch screen function**, which enables you to use any touch screen devices during work
- Super abrasion resistance with good flexibility, softness and comfort
- **OEKO-TEX standard 100** certified for skin friendly
- Sandy finish offers good grip in wet, oily and dry working conditions
- Very good fitting and great dexterity
- 360° breathability to keep your hands cool
- Contact heat protection up to 100 degree C

Area of Applications

General purpose or precision works under dry or light oil conditions.



3000



3001



- **Super abrasion resistance with great flexibility, softness and comfort**
- **OEKO-TEX standard 100** certified for skin friendly
- Sandy finish offers good grip in wet, oily and dry working conditions
- Very good fitting and great dexterity
- 360° breathability to keep your hands cool
- Contact heat protection up to 100 degree C

Area of Applications

General purpose or precision works under dry or light oil conditions.



3005



- **Extra nitrile dots contribute to super abrasion resistance, better grip and additional durability**
- **OEKO-TEX standard 100** certified for skin friendly
- Very good fitting and great dexterity
- Thanks to different coating processing, it provides **better 360° breathability** (to keep hands cool while working) than many other similar products
- Contact heat protection up to 100 degree C

Area of Applications

General purpose or precision works under dry or light oil conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
3000 Touch	15gg, polyester, spandex, other	Palm, micro-foam nitrile	6/XS - 12/XXXL	12 pairs / pack, 144 pairs / carton (pair pack available)
3000 / 3001	15gg, polyamide, spandex	Palm, sandy nitrile	6/XS - 12/XXXL	12 pairs / pack, 144 pairs / carton (pair pack available)
3000 HV	15gg, polyester, spandex, other	Palm, sandy nitrile	6/XS - 12/XXXL	12 pairs / pack, 144 pairs / carton
3005	15gg, polyamide, spandex, other	Palm, sandy nitrile, nitrile dots	6/XS - 12/XXXL	12 pairs / pack, 144 pairs / carton



12-401



- Highest level for contact heat protection - level 4, can withstand 500 °C
- Highest level convective heat protection - level 4, can withstand 500 °C
- One of the MOST flexible & comfortable heat resistant level 4 gloves in the market
- Both sides silicon coated providing excellent grip, and extra heat resistance
- TDM cut level C protection
- Ambidextrous with two sides silicon coated design, for much longer use time, greatly save the cost

Area of Applications

Works with high contact heat or convective heat or radiant heat risk and/or cut hazard in dry conditions.



12-260



- Food contact approved, cut level D protection
- Washable up to 36 times, very durable and cost efficient
- Great dexterity, flexibility & fitting
- Blue color for easier recognition
- Ambidextrous design
- OEKO-TEX standard 100 certified
- Comfortable

Area of Applications

Food processing or general purpose works with cut hazards. Meat processing, fish processing, vegetables and etc.



2111



- Thanks to the advanced lining and coating technology, it is **super soft, flexible and very comfortable**
- Excellent fit and good dexterity
- The sand finish offers great grip in dry, wet and oily conditions
- 360° breathability to keep your hands cool


Area of Applications

General purpose work under dry, little wet or little oily working conditions.

Art. Nr.	Material	Coating	Sizes	Packing Unit
12-401	8gg, thermo resistant yarns	Full, silicon	10/XL	Individual pack, 6 pairs / big pack, 72 pairs / carton
12-260	10gg, UHMWPE, others	N.A.	7/S - 11/XXL	Individual pack, 12 pairs / big pack, 120 pairs / carton
2111	13gg, special polyester	Palm, sandy latex	6/XS - 12/XXXL	12 pairs / pack, 144 pairs / carton



78-307




- Water and oil repellent, good chemical resistance
- 18 gauge knitting technology with advanced coating technology contributes to excellent flexibility, dexterity and comfort
- The sandy finish offers super grip in oil and wet conditions
- Contact heat protection up to 100 °C according to EN407
- EN374-1:2016 / Type B

Area of Applications

Works in contact with oils, water or chemicals with/without contact heat risks.



78-308



- Water and oil repellent, good chemical resistance
- Cut protection level C
- Contact heat protection up to 100 °C according to EN407
- The sandy finish offers super grip in oil and wet conditions
- Flexible, comfortable and good fitting
- EN374-1:2016 / Type B

Area of Applications

Works in contact with oils, water or chemicals with/without high cut hazards or contact heat hazards.



78-309



X-018



- Water and oil repellent, excellent chemical resistance
- Cut protection level D
- 18 gauge knitting technology with advanced coating technology contributes to super flexibility, dexterity and comfort
- Contact heat protection up to 100 °C according to EN407
- The sandy finish offers super grip in oil and wet conditions
- EN374-1:2016 / Type A

Area of Applications

Works in contact with oils, water or chemicals with/without high cut hazards or contact heat hazards.

Art. Nr.	Material	Coating	Sizes	Packing Unit
78-307	18gg, polyamide	Palm, sandy nitrile; Full, nitrile	8/M - 12/XXXL	12 pairs / pack, 144 pairs / carton
78-308	13gg, UHMWPE mixed with others	Palm, sandy nitrile; Full, nitrile	8/M - 12/XXXL	6 pairs / pack, 72 pairs / carton
78-309/X-018	18gg, steel fiber, UHMWPE, others	Palm, sandy nitrile; Full, nitrile	8/M - 12/XXXL	6 pairs / pack, 72 pairs / carton